



FRAGOS™ Flow Chart

Figure 1



FRAGOS™ Flow Chart cont.



Individual's Name	Title 1 (if required)	Title 2 (if required)	Company (if required)	Tel. (000 000 0000)	Fax (000 000 0000)	Mobile (0000 0000 0000)	Individual's name and e-mail address
Legal Entity Name	First very long line of address	Second line of address	Third line of address with ZIP	Country	Individual's name and e-mail address		

A. insertion: Part of Anderson Word divided 2:3

Legal Entity Name	Individual's Name	First/very long line of address	Second/line of address	Third line of address with ZIP	County	Individual's name	Individual's address on form
Individual's Name	Individual's 1st (required)	Individual's 2nd (required)	Individual's 3rd (required)	Individual's 4th (required)	Individual's 5th (required)	Individual's 6th (required)	Individual's 7th (required)

A reservation. Plans of the Chicago Wild divide \$500

Individual's Name	TD 000 000 0000
Mailing 1 (if required)	FD 000 000 0000
Mailing 2 (if required)	FD 000 000 0000
Company (if required)	FD 000 000 0000
First very long line address	
Second line address	
Third line address with ZIP	
Country	
Individual's Name	
Mail to 0000 0000 0000	

A member of the Anderson Wildlife Service

1001-5000
1001-5000

Figure 3

Page setup

Page: **Letter**


Page dimensions: **8.5** by **11** inches

Orientation: ☒ Tall ☐ Wide

Start page #: **1** Number of pages: **1**

Options: ☒ Double-sided ☒ Facing pages
☐ Restart page numbering


Margin in inches: Inside **1** Outside **0.75**
Top **0.75** Bottom **0.75**

Target printer resolution: **2400**  dpi

OK
Cancel
Numbers...

SECRET - SECTION

Figure 4



66207-567600

Figure 5




Figure. 6




Figure 7

Field Name	Field Type	Formula / Entry Option
Address1	Text	Indexed
Address2	Text	Indexed
Address3	Text	Indexed
Address4	Text	
AddressBlock	Calculation (Text)	= If(Title2 ≠ Empty, "¶", Empty) & If(Legal Entity ≠ Empty, AddressBlockEur, If(Sector Name ≠ Empty, Sector Name Calc & "¶", Empty) & If(EmpireChenCalcCalc ≠ Empty, EmpireChenCalcCalc & "¶", Empty) & If(Group Name ≠ Empty, Group Name & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(State ≠ Empty, StateforAddressBlock & " ", Empty) & If(Zip Code ≠ Empty, Zip Code & "¶", Empty) & If(DirectDial ≠ Empty, "phone" & " " & DirectDial & "¶", Empty) & If(Fax ≠ Empty, "fax" & " " & Fax & "¶", Empty) & If(Mobile ≠ Empty, "cellular" & " " & Mobile & "¶", Empty) & If(Pager ≠ Empty, "pager" & " " & Pager & "¶", Empty) & If(Email ≠ Empty, Email, " " & "¶"))
AddressBlock for Large Label	Calculation (Text)	= Company Name & "¶" & Name & "¶" & If(Legal Entity ≠ Empty, AddressBlockEurLabels, If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(State ≠ Empty, State & " " & " ", Empty) & If(Zip Code ≠ Empty, Zip Code, Empty))
AddressBlockEur	Calculation (Text)	= If(Legal Entity ≠ Empty, Legal Entity & "¶", Empty) & If(Sector Name ≠ Empty, Sector Name Calc & "¶", Empty) & If(EmpireChenCalcCalc ≠ Empty, EmpireChenCalcCalc & "¶", Empty) & If(Group Name ≠ Empty, Group Name & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(Address4 ≠ Empty, Address4 & "¶", Empty) & If(Zip Code ≠ Empty, Zip Code & " " & " ", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(Country ≠ Empty, Country & "¶", Empty) & If(DirectDial ≠ Empty, "tel" & " " & DirectDial & "¶", Empty) & If(Fax ≠ Empty, "fax" & " " & Fax & "¶", Empty) & If(Mobile ≠ Empty, "mobile" & " " & Mobile & "¶", Empty) & If(Pager ≠ Empty, "pager" & " " & Pager & "¶", Empty) & If(Email ≠ Empty, Email, " " & "¶")
AddressBlockEurLabels	Calculation (Text)	= If(Legal Entity ≠ Empty, Legal Entity & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(Zip Code ≠ Empty, Zip Code & " " & " ", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(Country ≠ Empty, Country & "¶", Empty)
BCard01	Calculation (Text)	= "open " & Quote & [REDACTED] & Quote & "¶" & "measureunits 3, 3, 10"&"¶" & "select 16p5, 11p10"&"¶" & "textedit"&"¶" & "selectall"&"¶" & If(Name ≠ Empty, "textenter " & Quote & NameTitle & Quote & "¶", "textenter " & Quote & " " & Quote & "¶") & "textcursor -textblock" & "¶" & "textselect +eol" & "¶" & "font " & Quote & "CorporateSBQ-Medium" & Quote & "¶" & "select 17p7, 16p7"&"¶" & "textedit"&"¶" & "selectall"&"¶" & "textenter " & Quote & Trim(AddressBlock) & Quote & "¶" & "textcursor -textblock" & "¶" & "textselect +eol 2" & "¶" & "font " & Quote & "CorporateSEXPBQ-Medium" & Quote & "¶" & "select 16p5, 11p10"&"¶" &

Figure 7 - continued

Field Name	Field Type	Formula / Entry Option
		"textedit"&"¶" &
		"selectall" &"¶" &
		"textcursor -textblock" &"¶" &
		"textselect +eol" &"¶" &
		"Color " & Quote & "PANTONE 471 CV" & Quote & "¶" &
		"select 17p7, 16p7"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textcursor -textblock" &"¶" &
		"textselect +eol 2" &"¶" &
		"Color " & Quote & "PANTONE 471 CV" & Quote & "¶" &
		"select 16p5, 11p10"&"¶" &
		"textedit"&"¶" &
		"textcursor +line" & "¶" &
		"textselect +textblock" &"¶" &
		"Sizebump downnone " & "¶" &
		"select 16p5, 11p10"&"¶" &
		"textedit"&"¶" &
		"selectall" &"¶" &
		"KemText 0.025" & "¶" &
		"select 17p7, 16p7"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"KemText 0.025" & "¶" &
		"select 17p7, 16p7"&"¶" &
		"textedit"&"¶" &
		"textcursor +textblock" & "¶" &
		"textselect -eol" & "¶" &
		"font " & Quote & "CorporateSBQ-Regular" & Quote & "¶" &
		"select 68p6, 1p11"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & (PlateRefNum) & Quote &"¶"
	Calculation (Text)	= If(Item Ordered = "Business Cards",
		"open " & Quote & [REDACTED] & Quote &"¶" &
		"measureunits 3, 3, 10"&"¶" &
		"select 16p5, 11p7"&"¶" &
		"textedit"&"¶" &
		"selectall" &"¶" &
		If(Name ≠ Empty,"textenter " & Quote & NameTitle & Quote
		&"¶","textenter " & Quote & " " & Quote &"¶") &
		"textcursor -textblock" &"¶" &
		"textselect +eol" &"¶" &
		"font " & Quote & "CorporateSBQ-Medium" & Quote & "¶" &
		"select 17p5, 16p3"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & Trim(AddressBlock) & Quote &"¶"
		,Empty) &
		"textcursor -textblock" &"¶" &
		"textselect +eol 2" &"¶" &
		"font " & Quote & "CorporateSExpBQ-Medium" & Quote & "¶" &
		"select 16p5, 11p7"&"¶" &
		"textedit"&"¶" &
		"textcursor +line" & "¶" &
		"textselect +textblock" &"¶" &
		"Sizebump downnone " & "¶" &
		"select 17p5, 16p3"&"¶" &
		"textedit"&"¶" &
		"selectall" &"¶" &
		"KemText 0.025" & "¶" &

Figure 7 - continued

Field Name

Field Type

Formula / Entry Option

Calculation (Text)

```

"select 16p5, 11p7"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"KemText 0.025" & "¶" &
"select 17p5, 16p3"&"¶" &
"textedit"&"¶" &
"textcursor +textblock" & "¶" &
"textselect -eol" & "¶" &
"font " & Quote & "CorporateSBQ-Regular" & Quote & "¶" &
"select 71p3, 2p3"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"textenter " & Quote & (PlateRefNum) & Quote &"¶"
= "open " & Quote & "R" & Quote & "¶" &
"measureunits 3, 3, 10"&"¶" &
"select 16p3, 11p3"&"¶" &
"textedit"&"¶" &
"selectall" &"¶" &
If(Name ≠ Empty,"textenter " & Quote & NameTitle & Quote
&"¶","textenter " & Quote & " " & Quote &"¶") &
"textcursor -textblock" &"¶" &
"textselect +eol" &"¶" &
"font " & Quote & "CorporateSBQ-Medium" & Quote & "¶" &
"select 17p2, 16p7"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"textenter " & Quote & Trim(AddressBlock) & Quote &"¶" &
"textcursor -textblock" &"¶" &
"textselect +eol 2" &"¶" &
"font " & Quote & "CorporateSEXPQ-Medium" & Quote & "¶" &
"select 16p3, 11p3"&"¶" &
"textedit"&"¶" &
"selectall" &"¶" &
"textcursor -textblock" &"¶" &
"textselect +eol" &"¶" &
"Color " & Quote & "PANTONE 471 CV" & Quote & "¶" &
"select 17p2, 16p7"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"textcursor -textblock" &"¶" &
"textselect +eol 2" &"¶" &
"Color " & Quote & "PANTONE 471 CV" & Quote & "¶" &
"select 16p3, 11p3"&"¶" &
"textedit"&"¶" &
"textcursor +line" & "¶" &
"textselect +textblock" &"¶" &
"Sizebump downone " &"¶" &
"select 16p3, 11p3"&"¶" &
"textedit"&"¶" &
"selectall" &"¶" &
"KemText 0.025" & "¶" &
"select 17p2, 16p7"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"KemText 0.025" & "¶" &
"select 17p2, 16p7"&"¶" &
"textedit"&"¶" &
"textcursor +textblock" & "¶" &
"textselect -eol" & "¶" &
"font " & Quote & "CorporateSBQ-Regular" & Quote & "¶" &
"select 71p, 2p5"&"¶" &

```

Figure 7 - continued

Field Name	Field Type	Formula / Entry Option
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & (PlateRefNum) & Quote &"¶"
	Calculation (Text)	= If(Item Ordered = "Business Cards",
		"open " & Quote & " " & Quote &"¶" &
		"measureunits 3, 3, 10"&"¶" &
		"select 16p6, 10p7"&"¶" &
		"textedit"&"¶" &
		"selectall" &"¶" &
		If(Name ≠ Empty,"textenter " & Quote & NameTitle & Quote
		&"¶","textenter " & Quote & " " & Quote &"¶") &
		"textcursor -textblock" &"¶" &
		"textselect +eol" &"¶" &
		"font " & Quote & "CorporateSBQ-Medium" & Quote &"¶" &
		"select 17p6, 15p7"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & Trim(AddressBlock) & Quote &"¶"
		,Empty) &
		"textcursor -textblock" &"¶" &
		"textselect +eol 2" &"¶" &
		"font " & Quote & "CorporateSExpBQ-Medium" & Quote &"¶" &
		"select 16p6, 10p7"&"¶" &
		"textedit"&"¶" &
		"textcursor +line" &"¶" &
		"textselect +textblock" &"¶" &
		"Sizebump downone " &"¶" &
		"select 16p6, 10p7"&"¶" &
		"textedit"&"¶" &
		"selectall" &"¶" &
		"KemText 0.025" &"¶" &
		"select 17p6, 15p7"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"KemText 0.025" &"¶" &
		"select 17p6, 15p7"&"¶" &
		"textedit"&"¶" &
		"textcursor +textblock" &"¶" &
		"textselect -eol" &"¶" &
		"font " & Quote & "CorporateSBQ-Regular" & Quote &"¶" &
		"select 72p2, 1p8"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & (PlateRefNum) & Quote &"¶"
BCard02	Calculation (Text)	= "measureunits 3, 3, 10"&"¶" &
		"select 16p10, 32p11"&"¶" &
		"textedit"&"¶" &
		"selectall" &"¶" &
		If(Name ≠ Empty,"textenter " & Quote & NameTitle & Quote
		&"¶","textenter " & Quote & " " & Quote &"¶") &
		"textcursor -textblock" &"¶" &
		"textselect +eol" &"¶" &
		"font " & Quote & "CorporateSBQ-Medium" & Quote &"¶" &
		"select 17p6, 37p10"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & Trim(AddressBlock) & Quote &"¶" &
		"textcursor -textblock" &"¶" &
		"textselect +eol 2" &"¶" &
		"font " & Quote & "CorporateSExpBQ-Medium" & Quote &"¶" &
		"select 16p10, 32p11"&"¶" &

Figure 7 - continued

Field Name	Field Type	Formula / Entry Option
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textcursor -textblock" &"¶" &
		"textselect +eol" &"¶" &
		"Color " & Quote & "PANTONE 471 CV" & Quote & "¶" &
		"select 17p6, 37p10"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textcursor -textblock" &"¶" &
		"textselect +eol 2" &"¶" &
		"Color " & Quote & "PANTONE 471 CV" & Quote & "¶" &
		"select 16p10, 32p11"&"¶" &
		"textedit"&"¶" &
		"textcursor +line" &"¶" &
		"textselect +textblock" &"¶" &
		"Sizebump downnone " &"¶" &
		"select 17p6, 37p10"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"KernText 0.025" &"¶" &
		"select 16p10, 32p11"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"KernText 0.025" &"¶" &
		"select 17p6, 37p10"&"¶" &
		"textedit"&"¶" &
		"textcursor +textblock" &"¶" &
		"textselect -eol" &"¶" &
		"font " & Quote & "CorporateSBQ-Regular" & Quote & "¶" &
		= "measureunits 3, 3, 10"&"¶" &
		"select 16p7, 32p7"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		If(Name ≠ Empty, "textenter " & Quote & NameTitle & Quote &"¶", "textenter " & Quote & " " & Quote &"¶") &
		"textcursor -textblock" &"¶" &
		"textselect +eol" &"¶" &
		"font " & Quote & "CorporateSBQ-Medium" & Quote & "¶" &
		"select 16p9, 37p1"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"textenter " & Quote & Trim(AddressBlock) & Quote &"¶" &
		"textcursor -textblock" &"¶" &
		"textselect +eol 2" &"¶" &
		"font " & Quote & "CorporateSExpBQ-Medium" & Quote & "¶" &
		"select 16p7, 32p7"&"¶" &
		"textedit"&"¶" &
		"textcursor +line" &"¶" &
		"textselect +textblock" &"¶" &
		"Sizebump downnone " &"¶" &
		"select 16p9, 37p1"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"KernText 0.025" &"¶" &
		"select 16p7, 32p7"&"¶" &
		"textedit"&"¶" &
		"selectall"&"¶" &
		"KernText 0.025" &"¶" &
		"select 16p9, 37p1"&"¶" &
		"textedit"&"¶" &
		"textcursor +textblock" &"¶" &
		"textselect -eol" &"¶" &

Calculation (Text)

Figure 7 - continued

Field Name	Field Type	Formula / Entry Option
		"textselect +eol 2" & "¶" & "Color " & Quote & "PANTONE 471 CV" & Quote & "¶" & "select 64p11, 95p1" & "¶" & "textedit" & "¶" & "textcursor +line" & "¶" & "textselect +textblock" & "¶" & "Sizebump downnone " & "¶" & "select 65p2, 99p4" & "¶" & "textedit" & "¶" & "selectall" & "¶" & "KernText 0.025" & "¶" & "select 64p11, 95p1" & "¶" & "textedit" & "¶" & "selectall" & "¶" & "KernText 0.025" & "¶" & "select 65p2, 99p4" & "¶" & "textedit" & "¶" & "textcursor +textblock" & "¶" & "textselect -eol" & "¶" & "font " & Quote & "CorporateSBQ-Regular" & Quote & "¶" & = "measureunits 3, 3, 10" & "¶" & "select 64p9, 94p8" & "¶" & "textedit" & "¶" & "selectall" & "¶" & If(Name ≠ Empty, "textenter " & Quote & NameTitle & Quote & "¶", "textenter " & Quote & " " & Quote & "¶") & "textcursor -textblock" & "¶" & "textselect +eol" & "¶" & "font " & Quote & "CorporateSBQ-Medium" & Quote & "¶" & "select 65p6, 99p7" & "¶" & "textedit" & "¶" & "selectall" & "¶" & "textenter " & Quote & Trim(AddressBlock) & Quote & "¶" & "textcursor -textblock" & "¶" & "textselect +eol 2" & "¶" & "font " & Quote & "CorporateSEXPBQ-Medium" & Quote & "¶" & "select 64p9, 94p8" & "¶" & "textedit" & "¶" & "textcursor +line" & "¶" & "textselect +textblock" & "¶" & "Sizebump downnone " & "¶" & "select 65p6, 99p7" & "¶" & "textedit" & "¶" & "selectall" & "¶" & "KernText 0.025" & "¶" & "select 64p9, 94p8" & "¶" & "textedit" & "¶" & "selectall" & "¶" & "KernText 0.025" & "¶" & "select 65p6, 99p7" & "¶" & "textedit" & "¶" & "textcursor +textblock" & "¶" & "textselect -eol" & "¶" & "font " & Quote & "CorporateSBQ-Regular" & Quote & "¶" & Indexed Indexed = If(Sector Name = [REDACTED] Sector Name, If(Sector Name = [REDACTED] Sector Name, If(Sector Name = "B [REDACTED] Sector Name, [REDACTED]))
City	Text	
Company Name	Calculation (Text)	

Figure 7 - continued

Field Name	Field Type	Formula / Entry Option
Country	Text	Indexed
Date Created	Date	Auto-enter the: "Creation Date" Prevent data that is automatically entered from being changed. Indexed
Date Modified	Date	Auto-enter the: "Modification Date" Prevent data that is automatically entered from being changed.
DirectDial	Text	
DupYesNo	Text	
Email	Text	Indexed
emailcalc	Calculation (Text)	= If(Length(Email) > 32, "too many characters", Empty)
EmailInstructions	Text	
Empty	Text	
FAEC Comments	Text	Indexed
Fax	Text	
Group Name	Text	Indexed
InternationalCode	Text	
IPAddress	Text	
Item Ordered	Text	Auto-enter: "Business Cards" Repeating field with 3 repetitions
JobTicket	Text	
Legal Entity	Text	Indexed
LocalCode	Text	
Mobile	Text	Indexed
Name	Text	Indexed
NameTitle	Calculation (Text)	= Name & "T" & Title & "T" & Title2 & "T"
NewPlateNum	Number	Auto-enter: "26"
Pager	Text	
PlateRefNum	Text	Indexed
Quantity Ordered	Number	Auto-enter: "250" Indexed
Quote	Calculation (Text)	= ""
Record Modified	Text	Auto-enter calculation = If(IsEmpty(FAEC Comments), "", "x")
Record Number	Number	Serial Number with Current Value: "1" Increment: "1" Prevent data that is automatically entered from being changed. Indexed
Sector Name	Text	Indexed
Sector Name Calc	Calculation (Text)	= If(Sector Name = " ", "", Legal Entity ≠ Empty and Sector Name = " " Empty, Sector Name))
SenttoFilm	Text	Auto-enter: "No" Value List (Custom Values): Yes No Indexed

Figure 7 - continue

Field Name	Field Type	Formula / Entry Option
SenttoFilmDate	Date	Indexed
ShipAddress	Text	Indexed
ShipAddressCalc	Calculation (Text)	Indexed = If(ShipSameAsOrder = "Yes", Address1 & " " & Address2 & " " & Address3, ShipAddress)
ShipCity	Text	Indexed
ShipCityCalc	Calculation (Text)	Indexed = If(ShipSameAsOrder = "Yes", City, ShipCity)
ShipCountry	Text	
ShipCountryCalc	Calculation (Text)	Indexed = If(ShipSameAsOrder = "Yes", Country, ShipCountry)
ShipName	Text	Indexed
ShipNameCalc	Calculation (Text)	Indexed = If(ShipSameAsOrder = "Yes", Name, ShipName)
ShipSameAsOrder	Text	Indexed
ShipState	Text	Indexed
ShipStateCalc	Calculation (Text)	Indexed = If(ShipSameAsOrder = "Yes", State, ShipState)
ShipZip	Text	
ShipZipCalc	Calculation (Text)	Indexed = If(ShipSameAsOrder = "Yes", Zip Code, ShipZip)
SpareDate1	Date	
SpareDate2	Date	
SpareGlobalContain	Global (Container)	
SpareGlobalDate	Global (Date)	
SpareGlobalNum	Global (Number)	
SpareGlobalText	Global (Text)	
SpareGlobalTime	Global (Time)	
SpareNum2	Number	
SpareText1	Text	
SpareText2	Text	
SpareTime1	Time	
SpareTime2	Time	
Special Instructions	Text	Indexed
State	Text	Indexed
StateCalc	Calculation (Text)	= If(State = "AL", "Alabama", If(State = "AK", "Alaska", If(State = "AZ", "Arizona", If(State = "AR", "Arkansas", If(State = "CA", "California", If(State = "CO", "Colorado", If(State = "CT", "Connecticut", If(State = "DE", "Delaware", If(State = "FL", "Florida", If(State = "GA", "Georgia", If(State = "HI", "Hawaii", If(State = "ID", "Idaho", If(State = "IL", "Illinois", If(State = "IN", "Indiana", If(State = "IA", "Iowa", If(State = "KS", "Kansas", If(State = "KY", "Kentucky", If(State = "LA", "Louisiana", If(State = "ME", "Maine", If(State = "MD", "Maryland", If(State = "MA", "Massachusetts", If(State = "MI", "Michigan", If(State = "MN", "Minnesota", If(State = "MS", "Mississippi", If(State = "MO", "Missouri", If(State = "MT", "Montana", If(State = "NE", "Nebraska", If(State = "NV", "Nevada", If(State = "NH", "New Hampshire", If(State = "NJ", "New Jersey", If(State = "NM", "New Mexico", If(State = "NY", "New York", If(State = "NC", "North Carolina", If(State = "ND", "North Dakota", If(State = "OH", "Ohio", If(State = "OK", "Oklahoma", If(State = "OR", "Oregon", If(State = "PA", "Pennsylvania", If(State = "RI", "Rhode Island", If(State = "SC", "South Carolina", If(State = "SD", "South Dakota", If(State = "TN", "Tennessee", If(State = "TX", "Texas", If(State = "UT", "Utah", If(State = "VT", "Vermont", If(State = "VA", "Virginia", If(State = "DC", "Washington DC", If(State = "WA", "Washington",

Figure 7 - continued

Field Name	Field Type	Formula / Entry Option
		If(State = "WV", "West Virginia", If(State = "WI", "Wisconsin", If(State = "WY", "Wyoming", Empty))
StateforAddressBlock	Calculation (Text)	= If(StateCalc ≠ Empty, StateCalc, State)
Tagline Translation	Text	Auto-enter: "Include Tag line in English"
Tagline Translation Language	Text	
Time Created	Time	Auto-enter the: "Creation Time"
		Prevent data that is automatically entered from being changed.
Title	Text	
Title2	Text	Indexed
TitleInstructions	Text	
Translation Faxnumber	Text	
Translation Language	Text	Indexed
Translation needed?	Text	Auto-enter: "English only"
		Indexed
UserInputInitials	Text	
UserModifiedInitials	Text	
View Record Number	Number	Indexed
Void	Text	Value List (Custom Values): OK Void Manual Type Follow up ReRun Translation Done Indexed
Webaddress	Text	
Zip Code	Text	Indexed

Figure 8

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>

<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="GENERATOR" content="Microsoft FrontPage 2.0">
<title>[REDACTED]</title>
</head>

<body background="images/background.gif" bgcolor="#FFFFFF">

<h1 align="center">[REDACTED]</h1>

<p><br>
</p>

<h2 align="center">All fields with gold arrows ()
are required.<br>
Other items are optional.</h2>

<CENTER>
<TABLE BORDER=0 CELLPADDING=15><TR><TH BGCOLOR="#CCCCCC">
<FONT COLOR="#FF0000">
Type in upper and lower case.<BR>DO NOT TYPE IN ALL CAPS.
</FONT>
</TH></TR></TABLE>
</CENTER>

<hr size=1>

<form action="FMPro" method="POST">
  <input type="hidden" name="-db" value="[REDACTED]>
  <input type="hidden" name="-format" value="[REDACTED]>
  <input type="hidden" name="-error" value="gb_err.htm">
  <input type="hidden" name="-lay" value="Order Form">

  <!-- TABLE ORDER START-->
  <TABLE BORDER=0 CELLPADDING=3 CELLBORDER=0 CELLSPACING=1>

  <TR>
```

Figure 8 - continued

```
<TD VALIGN=TOP ALIGN=RIGHT></TD>
<TD VALIGN=TOP COLSPAN=2>
  <b>Ordering Info:</b>
</TD>
```

```
</TR><TR>
```

```
<TD VALIGN=TOP ALIGN=RIGHT></TD>
```

```
<TD VALIGN=TOP>Item Ordered:</TD>
```

```
<TD VALIGN=TOP><input type="checkbox" checked name="Item Ordered"
value="Business Cards">Business Cards</TD>
```

```
</TR><TR>
```

```
<TD VALIGN=TOP ALIGN=RIGHT></TD>
```

```
<TD VALIGN=TOP>Quantity Ordered:</TD>
```

```
<TD VALIGN=TOP>
```

```
<input type="radio" checked name="Quantity Ordered" value="250">250 @
```

```
██████████ + taxes and shipping.<BR>
```

```
<input type="radio" name="Quantity Ordered" value="500">500 @ ██████████ taxes
and shipping.<BR>
```

```
<input type="radio" name="Quantity Ordered" value="1000">1000 @ ██████████ +
taxes and shipping.<BR>
```

```
<input type="radio" name="Quantity Ordered" value="Other">Other (Please order in
units of 500)<BR>
```

If Other, please specify:

```
<input type="text" size=10 name="Quantity Ordered">
```

```
<BR>
```

```
(Additional charges will apply for special instructions and translation).<BR>
```

```
<PRE><BR></PRE>
```

```
</TD>
```

```
</TR><TR>
```

```
<TD ALIGN=RIGHT></TD>
```


Figure 8 - continued

</TR><TR>

<TD></TD>

<TD>Address Line1:</TD>

<TD><input type="text" size="30" maxlength="30" name="Address1"></TD>

</TR><TR>

<TD></TD>

<TD>Address Line2:</TD>

<TD><input type="text" size="30" maxlength="30" name="Address2"></TD>

</TR><TR>

<TD></TD>

<TD>Address Line3:</TD>

<TD><input type="text" size="30" maxlength="30" name="Address3"></TD>

</TR><TR>

<TD></TD>

<TD>City:</TD>

<TD><input type="text" size="30" name="City"></TD>

</TR><TR>

<TD></TD>

<TD>State:</TD>

<TD><input type="text" size="25" name="State"></TD>

</TR><TR>

<TD></TD>

<TD>Zip Code:</TD>

<TD><input type="text" size="11" name="Zip Code"></TD>

</TR><TR>

<TD></TD>

<TD>Phone:</TD>

<TD><input type="text" size="24" name="DirectDial"></TD>

Figure 8 - continued

</TR><TR>

<TD></TD>

<TD>Fax:</TD>

<TD><input type="text" size="24" name="Fax"></TD>

</TR><TR>

<TD></TD>

<TD>Mobile:</TD>

<TD><input type="text" size="24" name="Mobile"></TD>

</TR><TR>

<TD></TD>

<TD>Pager:</TD>

<TD><input type="text" size="24" name="Pager"></TD>

</TR><TR>

<TD></TD>

<TD>Email Address:</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

</TR><TR>

<TD></TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

<TD><input type="text" size="50" name="Email">
(see ** below)</TD>

Figure 8 - continued

</TR><TR>

<TD COLSPAN=3>

<hr size=1>

</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Translation and back of card Info:</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Front of Card Language</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>

<input type="radio" name="TranslationFrontDummy" value="english" checked>
Produce as typed.

<input type="radio" name="TranslationFrontDummy" value="other"> Translation
needed in

<input type="text" size="20" name="Translation Language"> language.

(Note: Translation only will be faxed to you for approval.)

<PRE>
</PRE>

</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Back of Card Language (Optional)</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>

<input type="radio" name="TranslationBackDummy" value="english" checked>
Produce as typed.

Figure 8 - continued

```



```

Figure 8 - continued

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Is shipping info same as order info?:</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2><input type="radio" checked name="ShipSameAsOrder" value="Yes">

Yes

<input type="radio" name="ShipSameAsOrder" value="No"> No

"If no, Please fill out information below."</TD>

</TR><TR>

<TD></TD>

<TD>Ship To Name:</TD>

<TD><input type="text" size="50" name="ShipName"></TD>

</TR><TR>

<TD></TD>

<TD>Ship Address:</TD>

<TD><input type="text" size="60" name="ShipAddress"></TD>

</TR><TR>

<TD></TD>

<TD>Ship City:</TD>

<TD><input type="text" size="30" name="ShipCity"></TD>

</TR><TR>

<TD></TD>

<TD>Ship State:</TD>

<TD><input type="text" size="3" name="ShipState"></TD>

</TR><TR>

<TD></TD>

<TD>Ship Zip Code:</TD>

<TD><input type="text" size="11" name="ShipZip"></TD>

[illegible]

Figure 10

Script Step / Options**Copy**

Select entire contents

Import Records

Restore import order

No dialog

Script Parameters

SpareGlobalNum

Filename: "██████████" (Administration)

Import Order:

Date Created (Date)Date Modified (Date)Record Number (Number)Name (Text)Email (Text)Title (Text)Address1 (Text)State (Text)Zip Code (Text)Country (Text)DirectDial (Text)Time Created (Time)City (Text)Item Ordered (Text)Quantity Ordered (Number)Webaddress (Text)Address2 (Text)Title2 (Text)Fax (Text)Pager (Text)Empty (Text)Translation needed? (Text)Translation Language (Text)Sector Name (Text)ShipName (Text)ShipAddress (Text)ShipCity (Text)ShipState (Text)ShipZip (Text)ShipSameAsOrder (Text)IPAddress (Text)Legal Entity (Text)Mobile (Text)ShipCountry (Text)View Record Number (Number)Tagline Translation (Text)Tagline Translation Language (Text)TitleInstructions (Text)EmailInstructions (Text)Special Instructions (Text)SpareNum2 (Number)SpareGlobalText (Text)SpareGlobalNum (Number)SpareGlobalDate (Date)SpareGlobalTime (Time)SpareDate1 (Date)SpareDate2 (Date)SpareTime1 (Time)SpareTime2 (Time)Translation Faxnumber (Text)Address3 (Text)Group Name (Text)PAEC Comments (Text)Record Modified (Text)SenttoFilm (Text)SenttoFilmDate (Date)UserInputInitials (Text)

Figure 10 - continued

Script Step / Options	Script Parameters
	<u>UserModifiedInitials</u> (Text)
	<u>JobTicket</u> (Text)
	<u>PlateRefNum</u> (Text)
	<u>Address4</u> (Text)
	<u>InternationalCode</u> (Text)
	<u>LocalCode</u> (Text)
	<u>SpareText1</u> (Text)
	<u>SpareText2</u> (Text)
Go to Record/Request/Page First	
Loop	
If	Calculation Quantity Ordered = "500"
Set Field	Quantity Ordered Calculation "250"
Duplicate Record/Request	
Go to Record/Request/Page First	
Else	
If	Calculation Quantity Ordered = "1000"
Set Field	Quantity Ordered Calculation "250"
Duplicate Record/Request	
Duplicate Record/Request	
Duplicate Record/Request	
Go to Record/Request/Page First	
Else	
Go to Record/Request/Page Next Exit after last	
End If	
End If	
End Loop	
Paste Select entire contents	SpareGlobalNum
If	Calculation Status(CurrentFoundCount) ≠ 25
New Record/Request	
Set Field	Name Calculation "Dummy Record"
Set Field	Address1 Calculation "Dummy Record"

Figure 1. The effect of the number of trials on the mean number of correct responses for the 100% condition. The number of trials was 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000. The number of correct responses was 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100. The number of correct responses was 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.

Script Parameters

First

14

Sector Name = [REDACTED] or Sector Name = "[REDACTED]"

or Sector Name = " or Sector Name =

or Sector Name = "[REDACTED]"

██████████ Sector Name = "██████████" or

Sector Name = [REDACTED] or Sector Name = [REDACTED]

or Sector Name =

or Sector Name = Empty

Calculation

Sector Name = "██████████"

Calculation

Sector Name = [REDACTED]

[REDACTED]

Calculation

Sector Name = "M███████████"

End If**End If****End If**

Find All

10:05 AM '11

Figure 12

```
# Go to Layout ["Quick Find"]
# Enter Find Mode []
# Set Field ["SentToFilm", "="]
# Set Field ["ItemOrdered", "Business Cards"]
# Set Field ["RecordStatus", "OK"]
# Set Field ["BillToNum", "0157acsc"]
# Paste Literal [Select, "CreationDate", "<="]
# Paste Current Date ["CreationDate"]
# Perform Find []
# If ["Status(CurrentFoundCount) = 0"]
#   Perform Script [Sub-scripts, "FindforLithoTypeset Part 2"]
# Else
# End If
# Loop
#   If ["Qty = 250 or Qty = 100"]
```

Figure 12 - continued

```
⌘ Else
⌘   If ["Qty = 500 "]
⌘     Set Field ["SpareText5 ", "Qty "]
⌘     Set Field ["Qty ", "250 "]
⌘     Duplicate Record/Request
⌘     Set Field ["JobTicket ", " "Dummy" "]
⌘     Go to Record/Request/Page [First]
⌘   Else
⌘     If ["Qty = 1000 "]
⌘       Set Field ["SpareText5 ", "Qty "]
⌘       Set Field ["Qty ", "250 "]
⌘       Duplicate Record/Request
⌘       Set Field ["JobTicket ", " "Dummy" "]
⌘       Duplicate Record/Request
⌘       Duplicate Record/Request
```

Figure 12 - continued

```
⌘ Duplicate Record/Request
⌘ Set Field ["JobTicket", "Dummy"]
⌘ Duplicate Record/Request
⌘ Duplicate Record/Request
⌘ Go to Record/Request/Page [First]
⌘ End If
⌘ End If
⌘ End If
⌘ End Loop
⌘ If ["Status(CurrentFoundCount) = 6 or Status(CurrentFoundCount) =
⌘ Pause/Resume Script []
⌘ Go to Record/Request/Page [First]
⌘ Perform Script [Sub-scripts, "Create Litho BCard Job Ticket"]
⌘ Else
⌘ Perform Script [Sub-scripts, "FindforLithoTypeset Part 2"]
⌘ End If
```

[illegible]

Figure 13 - continued

Script Step / Options

Script Parameters

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard04

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard05

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard06

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Script Step / Options

Script Parameters

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard07

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = "██████████", SpareGlobalNum + 1 &
"██████████", SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard08

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = "██████████", SpareGlobalNum + 1 &
"██████████", SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard09

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = "██████████", SpareGlobalNum + 1 &
"██████████", SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard10

Wait for reply

Bring application to foreground

0043096-10000

Figure 13 - continued

Script Step / Options

Script Parameters

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard14

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard15

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard16

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate
Calculation

Today

66007-90660

Script Step / Options

Script Parameters

Event Specification:

Set Field

Set Field

Send Apple Event

Set Field

Set Field

Send Apple Event

Set Field

Set Field

Send Apple Event

Event Specification:
Application: Adobe® PageMaker® 6.5
Event Class: misc
Event ID: dosc
Field: BCard20
Wait for reply
Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = [REDACTED] SpareGlobalNum + 1 &
[REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard21

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = " [REDACTED] SpareGlobalNum + 1 &
" [REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard22

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = " [REDACTED] , SpareGlobalNum + 1 &
" [REDACTED] SpareGlobalNum + 1)

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard23

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum
Calculation

If(Sector Name = " [REDACTED] SpareGlobalNum + 1 &
" [REDACTED] SpareGlobalNum + 1)

Figure 13 - continued

Script Step / Options

Script Parameters

Set Field

SenttoFilmDate
Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard24

Wait for reply

Bring application to foreground

Go to Record/Request/Page
Next

Set Field

PlateRefNum

Calculation

If(Sector Name = "██████████", SpareGlobalNum + 1 &
"██████████" SpareGlobalNum + 1)

Set Field

SenttoFilmDate

Calculation

Today

Send Apple Event

Event Specification:

Application: Adobe® PageMaker® 6.5

Event Class: misc

Event ID: dosc

Field: BCard25

Wait for reply

Bring application to foreground

Go to Record/Request/Page
First

Omit Multiple
No dialog

25

Set Field

SpareGlobalNum

Calculation

SpareGlobalNum + 1

66001-96762160

Figure 15

```

* If ["Status(CurrentFoundCount) = 6 "]
*   Perform Script [Sub-scripts, "CountFor6 "]
* Else
*   If ["Status(CurrentFoundCount) = 7 "]
*     Perform Script [Sub-scripts, "CountFor7 "]
*   Else
*     If ["Status(CurrentFoundCount) = 8 "]
*       Perform Script [Sub-scripts, "CountFor8 "]
*     Else
*       If ["Status(CurrentFoundCount) = 15 "]
*         Perform Script [Sub-scripts, "CountFor14 "]
*       Else
*         If ["Status(CurrentFoundCount) ≥ 16 "]
*           Perform Script [Sub-scripts, "AutoTypeLithoC
*         End If
*       End If
*     End If
*   End If
* End If

```

Figure 15 - continued

- * Go to Record/Request/Page [First]
- * Duplicate Record/Request
- * Set Field ["JobTicket", " "Dummy" "]
- * Go to Record/Request/Page [No dialog, By Number...]
- * Duplicate Record/Request
- * Set Field ["JobTicket", " "Dummy" "]
- * Go to Record/Request/Page [No dialog, By Number...]
- * Duplicate Record/Request
- * Set Field ["JobTicket", " "Dummy" "]
- * Go to Record/Request/Page [No dialog, By Number...]
- * Duplicate Record/Request
- * Set Field ["JobTicket", " "Dummy" "]
- * Go to Record/Request/Page [No dialog, By Number...]
- * Duplicate Record/Request
- * Set Field ["JobTicket", " "Dummy" "]
- * Go to Record/Request/Page [No dialog, By Number...]

Figure 15 - continued

- * New Record/Request
- * Set Field ["JobTicket", " "Dummy" ""]
- * Set Field ["FirstName", " "ZZDummy" ""]
- * Set Field ["City", " "ZZDummy" ""]
- * Set Field ["Address1", " "Dummy" ""]
- * Sort [Restore, No dialog]
- * Perform Script [Sub-scripts, " AutoTypeLithoCards "]

Figure 16

- * Set Error Capture [On]
- * Go to Layout ["Data Entry Form"]
- * Enter Find Mode []
- * Paste Literal [Select, "ExportedToJobTicket", "="]
- * Perform Find []
- * If ["Status(CurrentFoundCount) > 0"]
 - * Export Records []
 - * Go to Record/Request/Page [First]
 - * Paste Literal [Select, "ExportedToJobTicket", "x"]
 - * Replace ["ExportedToJobTicket", "Current contents"]
- * Else
 - * Beep
 - * Show Message ["There are no Business Cards to Export!!!"]
- * End If
- * Find All
- * Go to Layout [original layout]